

Technical Data Sheets RX OCAR

All in One Water based Car Sealing

Presentation:

RX OCAR All in One now brings together all of the unique advantages of nanotechnology to provide better car protection in a single product. In all respects, this new car care treatment offers significant advantages for the user as well as the customer. Enhanced appearance RX OCAR All in One special formula means that it can be used on paintwork, windscreens, plastic and chrome fittings etc.

The robust silky smooth protective coating ensures a deep long lasting shine and the whole vehicle will be easier to clean due to the products' excellent dirt and water repellent characteristics.

RX OCAR All in One is both easy and economical to use. First, the vehicle surface to be treated must be thoroughly cleaned, dried and if necessary, polished before applying RX OCAR All in One. The protective nano-coating not only enhances the vehicle appearance but also guards against soiling for several months to come. Surfaces that do become soiled are easier to clean; paintwork retains a rich gloss whilst the water repellent characteristics, the so-called 'Lotus Effect' ensure that water simply beads off the treated surfaces including glass. Renewing the treatment is 'child's play' and can be undertaken by everyone without fear of causing damage.

Revoxia is the only French company to have developed this new generation of nano technology car-care products. Originally developed for a major German car manufacturer RX OCAR All in One was subjected to the most stringent testing before being brought into production. One of the products' major benefits is the excellent transparency of the protective coating allowing its use on glass including vehicle windscreens with no self-dazzling effects.

The result

A truly revolutionary car protection product.

RX OCAR All in One brings a long-lasting shine to paintwork, ease of cleaning and other important advantages.

LASTING TRANSPARENCY

Glass, in particular the WINDSCREEN can also be treated,.

Rainwater simply beads off, insect impacts are easier to remove and soiling of the treated surface is kept within limits. At higher peeds, tests show that water runs quickly off the windscreen, this is an important safety consideration particularly given the poor visibility caused by rain and vehicle spray.

POTENTIAL SAVINGS

RX OCAR All in One bonds itself to the the treated surface making the car easier to keep clean. At the carwash you need only select the economy programme and your car will be perfectly clean and retain its brilliant gloss finish. Because the Nano coating results in a long lasting deep gloss finish, tiring and expensive polishing are a thing of the past. Windscreen wiper performance is improved due to the lower 'drag effect' on the glass surface - an important safety factor.

- ✓ Effective protection against environmental influences, bird droppings etc.
- ✓ Single product for Glass, Paint and Plastic.
- ✓ Simple to apply.
- ✓ Absolutely environmentally friendly.
- ✓ Competitively priced.
- ✓ Water based product.

Surfaces application:

RX OCAR All in One can be applied to the outer bodywork of all types of motor vehicles. In addition it is suitable for other painted, plastic or glass surfaces exposed to the elements.

Application: Quantity use: 15 ml/m²

Cleaning:

When necessary ensure that all stubborn soiling for example tar or resin residues, rubber abrasions, insect impacts etc. are removed, either by polishing or the use of a special cleaner.

IMPORTANT: When the vehicle is polished prior to the application of RX OCAR All in One ONLY use Silicone and Wax Free polish! Otherwise the bonding of the product to the treated vehicle will not be successful. Such polishes are available, for example, from the company "3 M".

Cleaning with RX-CLEAN

Applying the Coating:

Apply RX OCAR All in One in small amounts onto the special non-absorbent application cloth. Spread the product evenly onto the surface using vertical and horizontal movements.

We recommend treating the surface segment-wise. Should the product dry out, for example in overlap areas simply wipe over the dried surface with the dampened application cloth to re-moisten the product. Excess material can also be removed with the damp cloth.

The material needs no time to work in.

When applying to glass we recommend that the process be repeated 2 to 3 times.

MPORTANT INFORMATION

Due to significantly improved windscreen transparency the intensity of rain can be under estimated. As a result always adjust your driving speed to the surrounding traffic during rain.

The coating of the windshield is therefore done at your own risk.

Rain beading off the windscreen can distract your attention.

Cleaning:

The robust nature of the protective coating means that no special care is required, the vehicle can successfully be put through a standard car wash (economy programme).

The car cleaning cycle is extended and the car will retain a perfect deep glossy shine.

<u>Product characteristic</u>: Durability: until 36 Month*

Applikation T°: +5 à +30°C Form: Liquid Specific - slight alcohol smell Drying (20°C): 30 Minute Odour: Hardening (20°C): Colour: Milky 1 day : Hq 7. Storage (Orig. Bottle): 12 Month NO DGR Pictogram: ADR:

Content material:

Propan-2-ol** (CAS: 67-63-0),

Poly[3-((2-aminoethyl)amino)propyl]methyl(dimethyl)siloxan,methoxyterminiert (CAS: 102782-92-3)

Storage:

Storage 12 month. T° +10 + 30°C. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static discharge. Keep out of reach of children.

Packing: Flacon 1Liter Canister 5 und 30Liter Drum 200Liter IBC 1.000Liter



SOLVENT BASED PRODUCT RX OCAR AQUEOUS BASED





When using this product please take note of the instructions on the bottle/canister. We wish to make it clear that the use of chemical preparations should only take place when the safety measures are observed and are always out of the reach of children. The technical information given here is according to the latest technical knowledge and composed from Revoxia own experience. In view of the many uses possible with this product it is therefore the responsibility of the user to act according to the given situation in respect of safety that is to say the user acts upon their own responsibility in any given situation when using this product. That the use of this product takes place out of our jurisdiction, we have set out safety and protection measures, but we cannot be held responsible in any circumstances. For any misuse of the product we cannot be held responsible. In the event of a new version of this information becoming available –this information here set out is no longer valid.

^{*}The durability of the coating are given to the information and in no case represent a guarantee. This durability have been fixed by inside experience or customers experiences test, ours itself. No responsibility will be able to be carried by Revoxia, in view of the fact that the application lies outside to our house and is not processed from us.